

Slugs that come
from office. I suggest
with a diagram of how
they are extracted from
the buds.
Date Corby signed you at
R. L. L.

Envelope slugs will be
H. m. m.



OFFICE OF THE

COUNTY MEDICAL EXAMINER

2201 HARRY HINES BLVD.

DALLAS, TEXAS 75226

RECEIPT FOR AUTOPSY MATERIAL, ETC.

Received At:

Date:

Time:

From:

3.1.16.4 received from body

Witness

Signature of Person Receiving Material

Detention

10 # 566

Hall's Police Dept.

GUNSHOT WOUND CHART

 Name J. V. Lopez

 Case No. 44-352-63

WOUND NO.

		WOUND NO.											
		1		2		3		4		5		6	
		Ent.	Ex.	Ent.	Ex.	Ent.	Ex.	Ent.	Ex.	Ent.	Ex.	Ent.	Ex.
1. Location of wound:	Head	✓											
	Neck												
	Chest												
	Abdomen			✓		✓		✓					
	Back												
	Right Arm <												
	Left Arm <												
	Right Leg <												
2. Size of wound:	Diam.												
	Width	$\frac{1}{2}$		$\frac{1}{2}$		$\frac{1}{4}$		$\frac{3}{8}$					
	Length	$\frac{3}{4}$		$\frac{3}{4}$		$\frac{5}{16}$		$\frac{3}{4}$					
3. Inches from wound to:	Top of head	$4\frac{3}{4}$		17"		21		20 $\frac{1}{2}$					
	Right of midline	$3\frac{3}{4}$		4		6							
	Left of midline							$1\frac{1}{2}$					
4. Powder burns:	On skin												
	Clothing												
	Absent	-											
5. Direction of bullet through body:	Backward	-		✓									
	Forward												
	Downward												
	Upward	✓		✓									
	To right												
	To left	✓		✓									
6. Bullet found:	Calibre	✓		✓									
	Shotgun												

 Photographs made: Yes ☒ No ☐

 X-rays made: Yes ☐ No ☒

REMARKS:

483

Examined by:

P. F. H. Rowe, MD


Date:

Mar 22, 1963

BODY DIAGRAM

Front

Back



Decedent's
Height 5'4 1/2 inches

Name J. T. Lippella 44-388-63
Examined
By E. J. [Signature] Date 4-22-63

November 26, 1963

Honorable Joe B. Brown, Jr.
Justice of the Peace
410 South Beckley
Dallas, Texas

Re: J. D. Tippet
11-22-63
Our M53-352

Dear Judge Brown:

The autopsy studies on J. D. Tippet, 39 year old white male on whom you authorized an autopsy November 22, 1963, have been completed. The cause of death is found to be gunshot wounds of the head and chest. There was extensive damage to the brain as well as penetrations of the lung and liver with massive hemorrhage.

Routine studies will be done and in the event anything more of significance is encountered, you will be immediately notified.

With kindest personal regards,

Very sincerely yours,

Earl F. Rose, M. D.

EFR:bh

cc: Hon. Henry Wade
Capt. J. W. Frite
Dr. J. M. Pickard
Mrs. Maurine Lamm

DALLAS COUNTY, TEXAS

AUTHORIZED PERMIT FOR AUTOPSY

Dr. Earl F. Rose
 To: Pathology Department
 Parkland Memorial Hospital
 5201 Harry Hines Boulevard
 Dallas 35, Texas

I, Joe B. Brown, Jr., Justice of the Peace, Precinct No. 7, Dallas County, Texas do upon my own determination deem that this autopsy is necessary and hereby authorize you to perform an autopsy upon the following named deceased person:

J. D. Tippett 238 Glencairn, Dallas
Name of deceased Address
 Age 39 Sex male Race white
D O A Methodist Hospital 1:15 P. M., November 22, 1963
Place of death Date and time of death

Requested by or informant: Homicide Bureau, Dallas Police Department

PERTINENT FACTS REGARDING DEATH

Deceased, a Dallas Police Officer, was shot at 503 East Tenth Street; was rushed to Methodist Hospital where he was pronounced dead on arrival. Missiles should be retained and delivered to the Dallas Crime Lab.

Please forward a copy of your autopsy findings to: (Name to be checked)

- ☐ Joe B. Brown, Jr., Justice of Peace, Precinct No. 7, Place 2
☒ Dr. J. M. Pickard, County Health Officer
☐ Henry Wade, District Attorney
☐ J. E. (Bill) Decker, Sheriff
☐ Capt. J. W. (Will) Fritz, Dallas Police Department
☐ Chief, C. N. Penn, Dallas Fire Department
☐ Mrs. Maurine Lamm, Bureau of Vital Statistics
☐ _____

Please release the body to: Dudley Hughes Funeral Home

Date November 22, 1963

Time 3:00 P. M.

Joe B. Brown, Jr.
 Justice of Peace, Precinct No. Seven
 Dallas County, Texas

PARKLAND MEMORIAL HOSPITAL

PATHOLOGY LABORATORY

Autopsy Number: **M53-352**

Name: **Tippit, J. D.**

Admitted: **11-22-63 DOA**

Autopsy date: **11-22-63, 3:15 P.M.**

Autopsy by: **Earl F. Rose, M. D.**

Restrictions: **None**

Unit No.

Age: **39** Race: **White** Sex: **Male**

Expired:

Service:

~~W/11111~~ Coroner: **Judge Joe E. Brown, Jr.**

EXTERNAL EXAMINATION:

External examination reveals a well developed white male measuring 5 foot, 11 inches in length and weighing an estimated 175 to 180 pounds. The hair is black, slightly wavy, very slight frontal balding. The irides are blue, the pupils are equal at 5 mm. Rigor is not present. Very slight posterior mottled lividity and body heat is present. Oral hygiene is good. The neck is not remarkable. Hair distribution is normal, the penis is circumcised. Identification bands on the left wrist, right wrist and left ankle.

There are four entrance types of wounds. No. 1 is $4 \frac{3}{4}$ inches from the top of the head and $3 \frac{3}{4}$ inches to the right of the midline. This measures $\frac{3}{8} \times \frac{1}{4}$ inch and is surrounded by a contusion ring. No powder tattooing is noted at the margins.

Wound No. 2 is 17 inches from the top of the head on the right chest. It is 4 inches to the right of the midline, above and slightly medial to the right nipple. It measures $\frac{3}{8} \times \frac{1}{4}$ of an inch, surrounded by bruising. There is also a contusion ring.

Wound No. 3 is 21 inches from the top of the head, along the anterior lateral side of the right chest and is 6 inches to the right of the midline. This measures $\frac{5}{16} \times \frac{1}{4}$ of an inch and is surrounded by a contusion ring.

Wound No. 4 on the left chest is $20 \frac{1}{2}$ inches from the top of the head, $1 \frac{1}{2}$ inches to the left of the midline. The wound measures $\frac{3}{4} \times \frac{3}{8}$ of an inch, is transverse and surrounding this is a $\frac{1}{4} \times \frac{3}{4}$ inch abrasion.

There is tanning of the arms. On the left arm there is a tattoo being "Tippit". On the dorsum of the left hand there is a crusted abraded area measuring $\frac{1}{2} \times \frac{1}{2}$ inch and a fresh abraded area on the dorsum of the right hand which measures $\frac{1}{2} \times \frac{1}{2}$ inch. The nails are quite well cared for although slightly dirty. Scar above the left knee, runs in an oblique fashion, crosses to the medial aspect of the knee, terminates on the leg measuring 7 inches. Poorly defined $\frac{1}{2}$ inch inoculation type of scar on the left deltoid region.

$16 \frac{1}{2}$ inches from the top of the head, $\frac{3}{4}$ of an inch to the right of the midline of the back in the subcutaneous tissue a missile is recovered from this region. This is associated with the Wound No. 3.

INCISIONS: The standard "T" thoracoabdominal and intercostal incisions are utilized. Examination of the wound of the right temple is made. It is found to enter in the right middle cranial fossa, pursues a course which is slightly upward, backward and

to the left. There is fracturing about the entrance and extensive fractures as it strikes the left occipitoparietal bone. It is recovered in this region, 3 inches to the left of the midline and approximately 1 inch from the top of the head. Examination of the brain is made. The brain weighs 1350 gm. The course of the missile through the brain is followed. It is found to enter the right temporal lobe, coursed through the brain transecting the brain stem, severing the cerebral peduncles surrounded by extensive hemorrhage, and found to exit from the brain substance in the calcarine gyrus to the left of the midline. There are penetrations of the meninges in the regions described. Examination of the brain is otherwise not remarkable.

The abdominal panniculus measures up to 7/8 of an inch. The organs are in the normal position. Examination of the serous cavities is made. There is found to be extensive peritoneal hemorrhage, approximately 300 cc. In the right pleural space there is in excess of 1000 cc. of blood.

THE COURSES OF THE MISSILES ARE FOLLOWED. The wound described as No. 2 is found to go between the second and third rib. The missile is found to penetrate the anterior edge of the right upper lobe. The bullet is found to go into the pericardial sac, there is extensive hemorrhage in the pericardial sac, approximately 4 ounces. Passes through the superior vena cava. It exits into the mediastinum, strikes the fourth thoracic vertebra to the left of the midline, courses in the substance of the vertebra and is recovered slightly to the left of the vertebra approximately 15 inches from the top of the head, having pursued a course very slightly upward, to the left, and backwards.

Wound No. 3 is found to penetrate the chest wall as externally described, is surrounded by hemorrhage, notching the dorsum of the sixth rib slightly lateral to the costochondral junction. It penetrates the anterior edge of the right lower lobe of the lung, the diaphragm, penetrates the liver, the entrance wound to the liver and laceration which is approximately 3 x 2.5 cm. It pursues a course backward, upward, and to the left and is recovered from the soft tissue of the back, 16 1/2 inches from the top of the head and 3/4 of an inch to the right of the midline. In its course it is also found to again penetrate the diaphragm after going through the liver and penetrates the posterior aspect of the right lower lobe.

Wound No. 4 is examined. It is found to be superficial and no penetration of the rib cage is noted. There is hemorrhage beneath the abraded and bruised area adjacent to the wound. No missiles are present in this area.

LUNGS: The lungs together weigh 1200 gm. The penetrations of the lung have previously been described. There are areas of atelectasis and along the courses of the bullet through the lung there is extensive hemorrhage.

LIVER: The liver weighs 1670 gm. The penetrations of the liver have previously been described. The cut surface of the liver is not remarkable.

GALLBLADDER & BILIARY TRIS: Not remarkable.

PANCREAS & DUODENUM: Not remarkable.

KIDNEYS: The kidneys together weigh 350 gm. The capsule strips quite easily and they are pale.

ADRENALS: Not remarkable.

SPLEEN: The spleen weighs 100 gm. The capsule is smooth. The cut surface is not remarkable.

HEART: The heart weighs 320 gm. There is an epicardial ecchymosis, anterior surface, left ventricle. This is at the apex. The coronary arteries are opened in situ. They are found to be of good caliber, free of occlusions. The valves are not remarkable. The myocardium grossly is not remarkable.

PANCREAS: Not remarkable.

INTESTINAL TRACT: The stomach contains partially digested food, approximately 5 ounces. The duodenum is not remarkable. The small and large bowel are not remarkable. The appendix is present.

MUSCULO-SKELETAL SYSTEM: The musculo-skeletal system is not remarkable except for the previously described bullet injuries.

IMPLANT: Not remarkable.

MICROSCOPIC:

Brain: There is disruption of brain tissue with fresh hemorrhagic extravasations.

Liver: There is disruption with fresh hemorrhages. No inflammation or organization. Otherwise not remarkable.

Kidney: Non-contributory.

Pancreas: Non-contributory.

Lung: There is disruption of the parenchyma with fresh hemorrhages.

Adrenal: Non-contributory.

Skin: Sections of skin show disruption with hemorrhages. There is no inflammation or organization.

Heart: Non-contributory.

FINDINGS:

Gunshot wound to the head.
Brain parenchymal damage and hemorrhage.
Gunshot wounds of the chest.
Penetrations of the right lung, superior vena cava, and liver.
Right hemothorax.
Peritoneal hemorrhage.
Pericardial hemorrhage with cardiac tamponade.

CAUSE OF DEATH:

Gunshot wounds of the head and chest.

Earl F. Ross, M. D.

DALLAS COUNTY HOSPITAL DISTRICT
(Parkland Memorial Hospital)

Date 11/26/63

TOXICOLOGICAL REPORT

Case of J. E. Tinsit Autopsy No. HE61-352

Autopsy by Dr. Fear On 11/22/63

Examined for alcohol and barbiturate.

Organs submitted Blood.

RESULTS OF ANALYSIS:

Poisonous Gases -

Volatile Poisons Negative.

Acid-Ether soluble poisons Negative.

Alkaline-Ether soluble poisons -

Ammonia-Ether or amm.-Chloroform soluble poisons -

Metallic Poisons -

Mineral acids and alkalis -

Halogens and their salts -

Salts of Oxy-acids -

Poisons isolated by special methods -

REMARKS: Blood type = "A"


Toxicologist, Dallas County Hospital
District

DALLAS COUNTY CRIMINAL INVESTIGATION LABORATORY
(Parkland Memorial Hospital)
Dallas, Texas
BLOOD ALCOHOL ANALYSIS

Case of M-63-352 Referred by Medical Staff
Blood drawn by _____ At Parkland Hospital
Date _____ Time AM. Antiseptic used _____
Officers, identification, etc.: _____

Specimen received from:

- ☐ Dallas P.D. Lock Box at 1:15 PM Date 11/25/63 By W. Patterson
☐ E.C. Lab. Lock Box at _____ Date _____ By _____
☒ Other (Describe): Forensic lab box.

Specimen transferred to E. H. Bay (Analyst).
Time 1:30 PM Date 11/25/63 By Winston Patterson
Specimen container: One test tube stoppered with rubber stopper.

Information from: _____

Analytical

Specimen: _____ Date and time of analysis 11/25/63 2:40 PM

- ☒ Whole Blood
☐ Plasma or serum Analyst: E. H. Bay

Date (Micro-Greenberg Method):

$H_1 = 2.82$	$U_1 = 2.78$
$H_2 = 2.82$	$U_2 = 2.78$
$H_{av.} = 2.82$	$U_{av.} = 2.78$
$B_1 = 2.86$	$S_1 = 0.29$
$B_2 = 2.86$	$S_2 = 0.19$
$B_{av.} = 2.86$	

Gas chromatogram ☐ Yes
☒ No

Calculation:

Negative for alcohol.

Result: Alcohol content Negative.

W. H. Moore
Dallas City-County Criminal
Investigation Laboratory

GUNSHOT WOUND CHART

Name

J. R. Zippit

 Military
Control
Country

ML-352-63

		WOUND NO.											
		1		2		3		4		5		6	
		Ent.	Ex.	Ent.	Ex.	Ent.	Ex.	Ent.	Ex.	Ent.	Ex.	Ent.	Ex.
1. Location of wounds:	Head	✓											
	Neck												
	Chest			✓		✓		✓					
	Abdomen												
	Back												
	Right												
	Left												
	Leg												
2. Size of wounds:	Diam.												
	Width	1/4"		1/2		1/2		3/8					
	Length	3/8		3/8		5/16		3/4					
3. Inches from wound to:	Top of head	4 3/8		17		21		26 1/2					
	Right of midline	3 3/8		4		6		1 1/2					
	Left of midline												
4. Powder burns:	On skin												
	Clothing			No holes or tears in clothing									
	Absent	✓											
5. Direction of bullet through body:	Backward	✓		✓		✓							
	Forward												
	Downward												
	Upward	✓		Slightly		✓							
	To right												
6. Bullet found:	To left	✓		✓		✓							
	Calibre	Rem-umc		Rem-umc		Rem-umc							
	Shotgun												

 Photographs made: Yes ☒ No ☐

 X-rays made: Yes ☐ No ☐

REMARKS:

all measurements in inches

494

Examined by:

Paul F. H. Rose, M.D.



Date:

Nov. 22, 1963

BODY DIAGRAM

Front

Back




Decedent's Height 5' 11 inches


Name J. D. Tippit ME 352-63
 Examined [Signature]
 By E. F. Moody, M.D. Date 11-22-63

BODY DIAGRAM—HEAD

Right



Left



Wound No. 1.

Decedent's Name

J. H. Tippit 44-352-63

Examined

By

E. J. Reay, Jr. Date Nov 22, 63